

Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

((compiled adj language) and (interpreted adj language)) and debug\$3)

Display:

40

Documents in Display Format:

-

Starting with Number

1

Generate:

☐

Hit List

☒

Hit Count

☐

Side by Side

☐

Image

Search

Clear

Interrupt

Search History

DATE: Tuesday, December 05, 2006

[Purge Queries](#)[Printable Copy](#)[Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L3	((compiled adj language) and (interpreted adj language)) and debug\$3)	29	L3
L2	((compiled adj language) and (interpreted adj language)) same debug\$3)	1	L2
L1	((compiled adj language) and (interpreted adj language)) and script? and debug\$3)	12	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and (@ad<19980130 or @rlad<19980130 or @prad<19980130)	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, December 05, 2006 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L2</u>	L1 and (@ad<19980130 or @rlad<19980130 or @prad<19980130)	2	<u>L2</u>
<u>L1</u>	((mixed adj language) or ((first adj language) and (second adj language))) and script? and debug\$3	23	<u>L1</u>

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

(((mixed and language) or ((first and language) and (second and language))) and script*)

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

mixed and language or first and language and second and language and script and debug

Found 100,560

of 193,448

Sort results by

relevance

☒ Save results to a Binder

[Try an Advanced Search](#)

Display results

expanded form

☒ Search Tips

[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Dynamic languages symposium chair's welcome: Interlanguage migration: from scripts to programs](#)

Sam Tobin-Hochstadt, Matthias Felleisen

 October 2006 **Companion to the 21st ACM SIGPLAN conference on Object-oriented programming languages, systems, and applications OOPSLA '06**
Publisher: ACM Press

 Full text available: pdf (212.13 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

As scripts grow into full-fledged applications, programmers should want to port portions of their programs from scripting languages to languages with sound and rich type systems. This form of interlanguage migration ensures type-safety and provides minimal guarantees for reuse in other applications, too. In this paper, we present a framework for expressing this form of interlanguage migration. Given a program that consists of modules in the untyped lambda calculus, we prove that rewriting one of ...

Keywords: λ -calculus, contract, interlanguage migration, module systems

2 [The family of concurrent logic programming languages](#)

Ehud Shapiro

 September 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 3

Publisher: ACM Press

 Full text available: pdf (9.62 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Concurrent logic languages are high-level programming languages for parallel and distributed systems that offer a wide range of both known and novel concurrent programming techniques. Being logic programming languages, they preserve many advantages of the abstract logic programming model, including the logical reading of programs and computations, the convenience of representing data structures with logical terms and manipulating them using unification, and the amenability to metaprogramming ...

3 [Programming languages, past, present, and future: sixteen prominent computer scientists assess our field](#)

Peter Trott

 January 1997 **ACM SIGPLAN Notices**, Volume 32 Issue 1

Publisher: ACM Press

 Full text available: pdf (4.67 MB) Additional Information: [full citation](#), [index terms](#)